
IBM Type Styles

IBM Type Styles

IBM offers a wide variety of type styles for a broad range of applications, including business correspondence, presentations, statistical reports and tables, legal, mathematical, and scientific documents.

IBM typewriter elements, printwheels and electronic fonts are carefully designed to provide the outstanding durability, character alignment and density that are essential to quality appearance.

When selecting an IBM type style, some important considerations are *point size*, the height of the letters; *pitch*, the number of characters per inch; and the *specific application*.


Before specifying a type style, choose either an 88-character typewriter element, a 96-character typewriter element, a 96-character proportional-spacing typewriter element, a printwheel, or an electronic font.




IBM
Typewriter
Element



IBM
Noncartridge
Printwheel



IBM
Compact
Printwheel



IBM
Cartridge
Printwheel II



IBM Quiet
Electronic
Font



IBM
Electronic
Font III



IBM 5204
Electronic
Font

IBM 5204 Electronic Font

How to identify an IBM 5204 Electronic Font

The IBM 5204 Electronic Font is designed for use with the IBM 5204 Quickwriter Printer. Each cartridge contains up to four type styles. Seventeen letter-quality fonts are available, including two Selectric-Mode Font cartridges. When used with the IBM 5204 Film Ribbon, the Selectric-Mode Font produces print quality comparable to that achieved with a Selectric III typewriter.

Equipment

IBM 5204 Quickwriter Printer


Packaging

1 font per box

Part Number

1301XXX

(see part numbers listed below)



Selectric-Mode Fonts

Part Number	Type	Type Style
1301542	North and South America and Western Europe	Courier 10 Prestige Elite 12 Letter Gothic 12 Prestige PS
1301681	North and South America and Western Europe	Courier 10 Courier Symbol 10 Prestige Elite 12 Prestige Elite Symbol 12

Letter-Quality Fonts

Part Number	Type	Type Style
1301518	Gothic (North and South America and Western Europe)	Artisan 10 Letter Gothic 12 Gothic 15 Title PS
1301526	Italic (North and South America and Western Europe)	Courier 10 Italic Courier 12 Italic Courier 15 Boldface Italic PS
1301534	Prestige (North and South America and Western Europe)	Prestige Pica 10 Prestige Elite 12 Prestige 15 Prestige PS
1301630	Orator 10 (North and South America and Western Europe)	Orator 10 APL 12 Courier 12 Italic Prestige Elite Symbol 12
1301550	Presentor 10 (North and South America and Western Europe)	Presentor 10 Courier Symbol 10 Script 12 Courier PS
1301638	OCR Universal	OCR-A 10 OCR-B 10
1301558	Bar Code	UPC/EAN 3 of 9 Code 128

Letter-Quality Fonts (continued)

Part Number	Type	Type Style
1301598	Greek	Courier 10 Letter Gothic 12 Courier 15 Boldface PS
1301606	Eastern Europe	Courier 10 Courier 12 Gothic 17 Title PS
1301614	Turkish	Courier 10 Letter Gothic 12 Courier 15 Title PS
1301622	Eastern Europe Cyrillic	Courier 10 Cyrillic 22 Courier 12 Title PS
1301566	U.S. and Hebrew	Courier 10/10 Shalom Courier 12/12 Shalom Courier 15/15 Shalom Boldface PS/PS Barak
1301574	Canadian (French)	Courier 10 Courier 12 Gothic 17 Boldface PS
1301582	Arabic	Artisan 10/10 Yasmin Prestige Elite 12/12 Yasmin Boldface PS/PS Yasmin
1301590	Japanese	Katakana 10 Katakana 12 Katakana 17 Letter Gothic 12
1318800	Blank Cartridge	For Download Fonts

Note

Foreign language character sets may only be accessed through software support. Consult your printer's Guide to Operations for additional information. See pages 156-163 for type style samples.

IBM Electronic Font III

How to identify an IBM Electronic Font III

The IBM Electronic Font III is designed for use with the IBM Quietwriter III Printer. Sixteen font cartridges are available. Each cartridge contains up to four type styles.

Equipment

IBM Quietwriter III Printer


Packaging

1 font per box

Part Number

1318XXX

(see part numbers listed below)



Part Number	Type	Type Style
1318010	Gothic (North and South America and Western Europe)	Artisan 10 Letter Gothic 12 Gothic 17 Title PS
1318020	Italic (North and South America and Western Europe)	Courier 10 Italic Courier 12 Italic Script 12 Boldface Italic PS
1318030	Prestige (North and South America and Western Europe)	Prestige Pica 10 Prestige Elite 12 Prestige 17 Modern PS
1318040	Gothic (Western Europe)	Artisan 10 Letter Gothic 12 Gothic 17 Title PS
1318050	Courier (Western Europe)	Courier 10 Courier 12 Courier 17 Boldface PS
1318060	Prestige (Western Europe)	Prestige Pica 10 Prestige Elite 12 Prestige 17 Modern PS
1318820	U.S. and Hebrew	Orator/10 Aviv Prestige Elite/12 Shalom Letter Gothic/12 Aviv Boldface/PS Barak
1318830	Canadian (French)	Courier 10 Courier 12 Courier 17 Boldface PS

Part Number	Type	Type Style
1318840	Arabic	Artisan 10/10 Yasmin Boldface/PS Yasmin
1318860	Japanese	Katakana 10 Katakana 12 Katakana 17 Letter Gothic 12
1318870	Greek	Courier 10 Letter Gothic 12 Courier 15 Boldface PS
1318880	Eastern Europe	Courier 10 Courier 12 Courier 17 Title PS
1318890	Turkish	Courier 10 Letter Gothic 12 Courier 15 Title PS
1318910	Russian Cyrillic	Courier 10 Cyrillic 22, 10 Courier 12 Title PS
1318920	APL/Symbol (Universal)	APL 12 Courier 12 Courier 12 Italic Symbol 12
1318930	OCR A 10 OCR B 10 (Universal)	

Note

Foreign language character sets may only be accessed through software support. Consult your printer's Guide to Operations for additional information. See pages 156-163 for type style samples.

IBM Quiet Electronic Font

How to identify an IBM Quiet Electronic Font

The IBM Quiet Electronic Font is designed for use with IBM Quietwriter 7 and 8 Typewriters, IBM Quietwriter System/20 and /40, and IBM Quietwriter Printers.

The capacity of the IBM Quiet Electronic Font is significantly greater than a typewriter element or printwheel. The electronic font

houses a memory chip that contains the standard characters found on most typewriter elements and printwheels, plus foreign-language characters and special-application symbols.

As shown on the IBM International Language Fonts Applications and Keyboard Numbers

Chart, fonts for IBM Quietwriter 7 and 8 Typewriters, and the IBM Quietwriter System/20 and /40, are designated by the part-number suffix "A," "BC," "C," "J," or "D." Fonts for the IBM Quietwriter Printer are designated by the part-number suffix "PC." (Although the "PC" fonts are inter-

changeable with typewriter fonts, if the full 252-character set is required, "PC" fonts should not be used on IBM Quietwriter 7 and 8 Typewriters or the IBM Quietwriter System/20 and /40. When used as PC printers, Quietwriter 7 and 8 Typewriters must use "A" fonts.)


Pitch (Characters per inch)

Open triangle = 12 pitch
Solid triangle = 10 pitch
Solid square = 15 pitch
Solid circle = Proportional Spacing
Open square = 17 pitch (printers only)

Type Style

Part Number

7 digits (1340XXX)



Character Set Identifier

Indicates which character sets are contained within the font.

IBM Logotype

The IBM logotype is molded into the cartridge.

See pages 156-163 for type style samples.

IBM International Language Fonts Applications and Keyboard Numbers

To determine the languages and applications included in an IBM Quiet Electronic Font, use the chart below.

When typing for the following applications or countries:

Application/ Country	Keyboard Number
Argentina	35
ASCII	103
Australia	1
Austria	29
Belgium	251
Canada (English)	37
Canada (French)	39
Denmark	59
Finland	53
France	251
Hong Kong	119
Iceland	97
Italy	41
Japan (English)	69
Latin America	25
Netherlands	43
New Zealand	1
Norway	55
Portugal	63
Spain	70
Sweden	53
Switzerland (French)	49
Switzerland (German)	51
Trilingual	113
U.K.	67
U.S.	1
West Germany	29

You can use any one of the following fonts:

Font	Part Number
Boldface A	1340827
Courier 10 A	1340807
Courier 12 A	1340813
Letter Gothic A	1340822
Orator A	1340845
Artisan 12 A	1340849
Bookface Academic A	1340848
Courier 12 Italic A	1340857
Courier 15 A	1340816
Delegate A	1340854
Presentor A	1340846
Prestige Elite A	1340800
Prestige Pica A	1340832
Prestige 15 A	1340804
Title A	1340835
Dual Gothic A	1340853
Gothic 15 A	1340855
Modern A	1340856
Olde World A	1340850
Script A	1340852

Czechoslovakia (Czech)	83
Czechoslovakia (Slovak)	85
East Germany	34
Hungary	109
Library	111
Poland	213
Rumania	217
South Africa	81
Turkey	79
Yugoslavia	233

Prestige Elite BC	1340801
Courier 15 BC	1340817
Prestige 15 BC	1340805
Letter Gothic BC	1340823

When typing for the following applications or countries:

Application/ Country	Keyboard Number
Library	111
South Africa	81
Turkey	79

You can use any one of the following fonts:

Font	Part Number
Courier 12 C	1340863
Boldface C	1340828
Prestige Pica C	1340833
Title C	1340836
Courier 10 C	1340808

ASCII (for DP applications and PC graphics)

103

Boldface PC	1340830
Courier 10 PC	1340810
Courier 12 PC	1340815
Letter Gothic PC	1340824
Courier 15 PC	1340819
Prestige Elite PC	1340803
Prestige 15 PC	1340806
Prestige Pica PC	1340834
Title PC	1340837
*Gothic 17 PC	1340851

Latin (Supplemental)

99

Boldface J	1340829
Courier 10 J	1340809
Prestige Elite J	1340802
Prestige 15 J	1340818

Symbol

201, 206

Symbol 12 D	1340843
Symbol 10 D	1340842

*For use on Quietwriter Printers only

Note

Refer to the chart, IBM International Quiet Electronic Fonts and Cartridge Printwheel IIs, pages 164-165, for a listing of IBM International Quiet Electronic Fonts.


IBM Printwheels

How to identify an IBM Printwheel

IBM Cartridge Printwheel II

The IBM Cartridge Printwheel II contains 96 characters and can be used with:

- IBM Wheelwriter Typewriters
- IBM 5520 Administrative System Printers (5219: B01, B02; 5229: B12)
- System/34, /36, /38 and Series I Printer (5219: D01, D02)
- IBM Personal Computer and Personal Computer XT Printers (5218: A03, A04)
- IBM Datamaster (5217: C02)
- IBM 8100-word processing (5210: E01, E02)
- IBM 3270 Information Display and 4701 Printer (5210: G01, G02)
- IBM Displaywriter Printers (5218: A01, A02, A03, A04; 5228: A12)
- IBM Wheelprinters, Models 5216, 5223, 6902




IBM Non-Cartridge Printwheel

IBM Non-Cartridge Printwheels contain 96 characters. Type style and pitch are printed on the printwheel, and the last three digits of the part number are embossed on the black plastic outer ring of the cap.


The IBM Non-Cartridge Printwheel can be used with:

- IBM Office System 6 — Models 6/442, 6/452
- IBM 6240 Mag Card Typewriter — 10, 12 Pitch
- IBM Printwheel Printer — 12 Pitch only (5520 System)
- IBM Printwheel Printer (3730 System)




IBM Compact Printwheel

IBM Compact Printwheels support the IBM Actionwriter 1 Typewriter and contain 100 characters.



IBM Custom Printwheels

96-Character Custom Printwheel Keyboard



The shaded areas on this keyboard chart show where custom characters can be substituted for standard characters. All characters, however, **cannot** be placed in all positions—each has pre-

determined key locations. To determine the keyboard positions available for each substitution, call **IBM Direct** toll free, at 1 800 IBM-2468.

Custom printwheels add speed and versatility to special applications. With an IBM Custom Printwheel, you don't have to change printwheels or insert special characters by hand. The symbols used repeatedly can be incorporated on the custom printwheel. Every symbol will have the same neat, professional appearance.

Substitute custom characters as needed. Choose from over 100 characters designed for almost every kind of specialized typing, including subscripts,

superscripts, numerals, medical, scientific and legal symbols, accent marks for foreign languages and more. The examples below show the range of custom symbols that can be substituted for regular characters on the printwheel.

Select from seven type styles

10 pitch:	12 pitch:
Courier 10	Courier 12
Artisan 10	Prestige Elite
Prestige Pica	Letter Gothic
	15 pitch:
	Prestige 15

Custom Printwheel Characters*

Typographical

; semicolon
 : colon
 & ampersand
 ± plus or minus
 | continuous vertical line
 = double underscore
 † dagger
 ‡ double dagger
 | vertical line
 ? question mark
 § section
 ¶ paragraph
 " quotation
 _ underscore
 - dash
 (left parenthesis
) right parenthesis
 ' apostrophe
 # number
 * asterisk
 + plus
 [left bracket
] right bracket

Language

¡ inverted exclamation
 ¿ inverted question
 ~ tilde
 ^ circumflex
 - macron
 ˘ breve
 ¨ dieresis
 ¸ cedilla
 ´ acute
 ` grave

Currency

\$ dollar
 ¢ cent
 £ pound sterling
 ¥ yen

Technical

× multiplication
 ÷ division
 > greater than
 ≥ greater than or equal to
 ℒ script L-laplace

< less than
 ≤ less than or equal to
 ∞ infinity
 √ radical
 ∫ integral
 π pi
 α alpha
 β beta
 Δ delta
 γ gamma
 • multiplication
 ↑ arrow up
 ↓ arrow down
 ← arrow left
 → arrow right
 Ω ohm
 μ mu
 ∇ inverted delta
 1 2 3 4 5 6 7 8 9 0 subscripts
 1 2 3 4 5 6 7 8 9 0 exponents

° degree
 1/2 fraction
 1/4 fraction
 3/4 fraction
 = equal
 Σ sigma uc
 σ sigma lc
 ft² square foot

Legal

ℙ plaintiff

Miscellaneous

1 one
 0 zero
 / slash
 ® registry
 © copyright
 ™ trademark
 ● circle
 ■ square
 ◆ diamond
 ♯ beaker
 ▲ triangle

♂ male
 ♀ female
 ¬ logical not
 □ open box
 ℞ recipe
 Ø cancelled zero
 # group mark
 * record mark
 ✱ segment mark
 @ commercial A
 % percent
 ≡ identical with
 b substituted
 \ reverse slash
 ~ cycle
 n logical product
 u logical sum
 c contained in
 ⊃ excluded from
 ⚡ lozenge

*Note

These characters and their most common descriptions are intended as an aid to describing and ordering special symbols. Type codes are compatible with the American Standard Keyboard. Since custom symbols are integrated

into the various type styles, samples shown are not representative of the type style you may select and should be used as a guide to symbol selection only. Not all illustrated symbols are available in all type styles.

IBM Typewriter Elements

How to identify IBM Typewriter Elements

IBM Typewriter Elements are available in a variety of 88- or 96-Character type styles.

88-Character Element

Use an 88-Character element with:

- IBM Selectric Typewriter
- IBM Selectric II Typewriter
- IBM Correcting Selectric Typewriter
- IBM Memory Typewriter
- IBM Mag Card Selectric Typewriter
- IBM Displaywriter 5215 Printer
- IBM Communicating Mag Card Selectric Typewriter
- IBM Mag Card II Typewriter
- IBM Mag Card/A Typewriter
- IBM Magnetic Tape Selectric Typewriter
- IBM Personal Typewriter

96-Character Element

Use a 96-Character element with:

- IBM Electronic Typewriter 50
- IBM Electronic Typewriter 60
- IBM Electronic Typewriter 65
- IBM Electronic Typewriter 75
- IBM Electronic Typewriter 85
- IBM Electronic Typewriter 95
- IBM Selectric III Typewriter
- IBM Correcting Selectric III Typewriter

Pitch (characters per inch)


Open triangle = 12 pitch
Solid triangle = 10 pitch
Solid circle = Proportional Spacing

Part Numbers (3-4-5 digits)

3 digits (xxx) = 88 characters
4 digits (2xxx) = 96 characters
5 digits (52xxx) = 96 characters
4 digit alphanumeric
Bxxx = 88-Character custom
Cxxx = 88-Character custom
Kxxx = 96-Character custom

Lever

Black = Standard part number
White = Custom element
No lever = Special lock-on cap or squeeze cap



An 88-Character element has white lettering on its cap.

A 96-Character element has yellow lettering on the cap.

Cap
Black except for OCR, which is gray

IBM Logotype

The IBM logo is embossed on the lever. If there is no logo, you do *not* have an IBM element.

Type Style

See pages 156-163 for type style samples.

IBM Type Style Samples

IBM offers type styles in a wide variety of pitches and sizes for applications ranging from execu-

tive correspondence to computer-readable (OCR) documents.

Type Style	Example	Application
Adjutant	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*() _ + abcdefghijklmnopqrstuvwxyz±1234567890-=-	Text copy
Advocate	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*() _ + abcdefghijklmnopqrstuvwxyz±1234567890-=-	Correspondence
ANSI-OCR-B	ABCDEFGHIJKLMNOPQRSTUVWXYZ<!@#%& &*() -+ abcdefghijklmnopqrstuvwxyz>1234567890-=-	Computer-readable documents
Arcadia	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*() _ + abcdefghijklmnopqrstuvwxyz±1234567890-=-	Proportional spacing
Artisan 12	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*() _ + abcdefghijklmnopqrstuvwxyz±1234567890-=-	General correspondence, offset typing
Artisan ASCII DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&^&*() _ + abcdefghijklmnopqrstuvwxyz`1234567890-=-	DP applications using ASCII
Artisan EBCDIC DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&*() _ + abcdefghijklmnopqrstuvwxyz`1234567890-=-	DP applications using EBCDIC
Artisan 10	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*() _ + abcdefghijklmnopqrstuvwxyz±1234567890-=-	General correspondence typing
Auto Elite	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*() _ + abcdefghijklmnopqrstuvwxyz±1234567890-=-	Correspondence, offset and statistical
Bookface Academic	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*() _ + abcdefghijklmnopqrstuvwxyz±1234567890-=-	Correspondence, offset and statistical
Boldface	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*() _ + abcdefghijklmnopqrstuvwxyz±1234567890-=-	Proportional spacing
Boldface ASCII DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&^&*() _ + abcdefghijklmnopqrstuvwxyz`1234567890-=-	DP applications using ASCII
Boldface Italic	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*() _ + abcdefghijklmnopqrstuvwxyz±1234567890-=-	Proportional spacing — emphasis
Courier 10	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*() _ + abcdefghijklmnopqrstuvwxyz±1234567890-=-	General correspondence
Courier 10 EBCDIC DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&*() _ + abcdefghijklmnopqrstuvwxyz`1234567890-=-	DP applications using EBCDIC
Courier 10 ASCII DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&^&*() _ + abcdefghijklmnopqrstuvwxyz`1234567890-=-	DP applications using ASCII
Courier 10 Accounting	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*() _ + abcdefghijklmnopqrstuvwxyz±1234567890-=-	Financial documents

IBM Type Style Samples

IBM offers type styles in a wide variety of pitches and sizes for applications ranging from execu-

tive correspondence to computer-readable (OCR) documents.

Type Style	Example	Application
Adjutant	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Text copy
Advocate	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Correspondence
ANSI-OCR-B	ABCDEFGHIJKLMNOPQRSTUVWXYZ<!@#%& &*()—+ abcdefghijklmnopqrstuvwxyz>1234567890-=	Computer-readable documents
Arcadia	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Proportional spacing
Artisan 12	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	General correspondence, offset typing
Artisan ASCII DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&^&*()_+ abcdefghijklmnopqrstuvwxyz`1234567890-=	DP applications using ASCII
Artisan EBCDIC DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&*()_+ abcdefghijklmnopqrstuvwxyz`1234567890-=	DP applications using EBCDIC
Artisan 10	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	General correspondence typing
Auto Elite	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Correspondence, offset and statistical
Bookface Academic	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Correspondence, offset and statistical
Boldface	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Proportional spacing
Boldface ASCII DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&^&*()_+ abcdefghijklmnopqrstuvwxyz`1234567890-=	DP applications using ASCII
Boldface Italic	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Proportional spacing — emphasis
Courier 10	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	General correspondence
Courier 10 EBCDIC DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&*()_+ abcdefghijklmnopqrstuvwxyz`1234567890-=	DP applications using EBCDIC
Courier 10 ASCII DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&^&*()_+ abcdefghijklmnopqrstuvwxyz`1234567890-=	DP applications using ASCII
Courier 10 Accounting	ABCDEFGHIJKLMNOPQRSTUVWXYZ°!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Financial documents

Pitch	Part Number 88-Character Element	Part Number 96-Character Element	Part Number Non-Cartridge Printwheel	Part Number Cartridge Printwheel II	Part Number Compact Printwheel	Part Number IBM Quiet Electronic Font ¹
12	1167129	1352924		1353047		
10	1167130	1352007		1353845		
10	1167210	1352920		1353797		
PS		1352903				
12	1167131	1352004		1353050		1340849 1340849 (Acctg)
10				1353105 PC		
10				1353932		
10				1353520		
12	1167208	1352010		1353080		
10	1167158	1352904		1353844 1353013 (Acctg) 1353181 (Legal)		1340848 1340848 (Acctg)
PS		1352915	1257508	1353504		1340827 1340827 (Acctg)
PS				1353125 PC		1340827 1340830 PC
PS		1352925		1353059		
10	1167134 1167177 (Legal)	1352002 1352019 (Legal) 1352030 (Court Reporter)	1257503	1353511 1353182 (Legal) 1353069 (Court Reporter)	1361510	1340807
10				1353900		
10				1353909 PC		1340807 1340810 PC
10		1352021		1353968		1340807

¹ Quiet Electronic Fonts (prefix 1340) support multiple languages applica-

tions. See pages 151-152 for additional information. Font part numbers

that are followed by a "PC" are for use on the IBM Quietwriter Printers.

Type Style	Example	Application
Courier 12	ABCDEFGHIJKLMNOPQRSTUVWXYZ!°\$%/&*()_+ abcdefghijklmnopqrstuvwxyz1234567890-=-	General correspondence, offset and manifold
Courier 12 ASCII ²	*	DP applications using ASCII
Courier 12 Italic	<i>ABCDEFGHIJKLMNOPQRSTUVWXYZ!°\$%¢&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=-</i>	General correspondence, offset reproduction and emphasis
Courier 15	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%¢&*()_+ abcdefghijklmnopqrstuvwxyz1234567890-=-	Statistical documents
Courier 15 EBCDIC DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%¢&*()_+ abcdefghijklmnopqrstuvwxyz~1234567890-=-	DP applications using EBCDIC
Courier 15 ASCII DP	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%~&*()_+ abcdefghijklmnopqrstuvwxyz~1234567890-=-	DP applications using ASCII
Courier 10 ASCII WP	*	WP applications using ASCII
Courier 10 EBCDIC WP	*	WP applications using EBCDIC
Delegate	ABCDEFGHIJKLMNOPQRSTUVWXYZ!°\$%¢&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=-	Text copy, appears as printed material
Dual Gothic	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%¢&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=-	Credit reports, financial typing
Elite	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%¢&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=-	Correspondence, offset and statistical
Essay	ABCDEFGHIJKLMNOPQRSTUVWXYZ!°\$%¢&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=-	Proportional spacing
Essay ASCII	*	DP applications using ASCII
Essay Italic	<i>ABCDEFGHIJKLMNOPQRSTUVWXYZ!°\$%¢&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=-</i>	Proportional spacing — emphasis
Gothic 15	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%¢&*()_+ =½¼];:','./? abcdefghijklmnopqrstuvwxyz 1234567890	For archiving, invoicing and statements
Gothic 15 ASCII	*	DP applications using ASCII
Gothic 17²	*	Spreadsheets and archiving
Large Elite	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%¢&*()_+ abcdefghijklmnopqrstuvwxyz1234567890-=-	Offset reproduction, correspondence and statistical reports
Letter Gothic	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%¢&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=-	Invoices, statements — boldness required
Letter Gothic ASCII	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%~&*()_+ abcdefghijklmnopqrstuvwxyz~1234567890-=-	DP applications using ASCII

* Type Styles in the same family are similar. Only the symbols are different.

² For use on Quietwriter Printers only.

Pitch	Part Number 88-Character Element	Part Number 96-Character Element	Part Number Non-Cartridge Printwheel	Part Number Cartridge Printwheel II	Part Number Compact Printwheel	Part Number IBM Quiet Electronic Font ¹
12	1167132	1352908 1352938 (Legal)	1257638	1353523 1353185 (Legal)		1340813 1340815 PC 1340813 (Acctg)
12		1352954		1353116 PC		
12	1167133	1352005		1353890		1340857 1340857 (Acctg)
15				1353796		1340816 1340819 PC 1340816 (Acctg)
15				1353342		
15				1353112 PC		
10	1167154	1352038	1257612	1353909		
10			1257613	1353900		
10	1167135	1352912		1353843		1340854 1340854 (Acctg)
12	1167136	1352001		1353055		1340853 1340853 (Acctg)
12	1167137	1352913		1353861 1353058 (Library) 1353186 (Legal)		
PS		1352910	1257675	1353526		
PS				1353130 PC		
PS		1352911		1353750		
15				1353719		1340855 1340855 (Acctg)
15				1353121 PC		
17						1340851 PC
12	1167161	1352008		1353017 1353018 (Acctg)		
12	1167138	1352909	1257506	1353514	1361502	1340822 1340824 PC 1340822 (Acctg)
12				1353110 PC		

¹ Quiet Electronic Fonts (prefix 1340) support multiple languages applica-

tions. See pages 151-152 for additional information. Font part numbers

that are followed by a "PC" are for use on the IBM Quietwriter Printers.

Type Style	Example	Application
Letter Gothic EBCDIC	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&*()_+ abcdefghijklmnopqrstuvwxyz`1234567890-=	DP Applications using EBCDIC
Letter Gothic Chartpack	ABCDEFGHIJKLMNOPQRSTUVWXYZ~!@#%&*()_+ # \mø ^ . , * > ~ ~ Æ ¹ º . µ ¶ ¸ . - . < . ± 1234567890-=	Use with IBM Chartpack Program
Light Italic	<i>ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=</i>	Use with Pica or Elite for emphasis
Manifold	ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ ABCDEFGHIJKLMNOPQRSTUVWXYZ±1234567890-=	Billing and forms
Micro	ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+½[:",.? abcdefghijklmnopqrstuvwxyz ±1234567890-=½];',./	Statistical typing
Modern	ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Proportional spacing
Modern Accounting	ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Financial reports
Olde World	<i>ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=</i>	Creative uses — documents
Orator	ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ ABCDEFGHIJKLMNOPQRSTUVWXYZ±1234567890-=	Speeches, presentation material and headlines
Presentor	ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Speeches, presentation material and headlines
Pica	ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	General correspondence, stencils and manifold
Prestige Elite	ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Legal correspondence, statistical and offset reproduction
Prestige Elite 12 ASCII	*	DP applications using ASCII
Prestige Elite 12 Accounting	ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Financial reports
Prestige Elite Chartpack	ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ # \mø ^ . , * > ~ ~ Æ ¹ º . µ ¶ ¸ . - . < . ± 1234567890-=	Use with IBM Chartpack Program
Prestige 15	ABCDEFGHIJKLMNOPQRSTUVWXYZ !@#%&*()_+=½½];:',',./? abcdefghijklmnopqrstuvwxyz 1234567890	Statistical documents
Prestige Pica	ABCDEFGHIJKLMNOPQRSTUVWXYZ °!@#%&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Legal correspondence, offset, statistical and manifold

* Type Styles in the same family are similar. Only the symbols are different.

¹ Quiet Electronic Fonts (prefix 1340) support multiple languages applica-

tions. See pages 151-152 for additional information. Font part numbers

Pitch	Part Number 88-Character Element	Part Number 96-Character Element	Part Number Non-Cartridge Printwheel	Part Number Cartridge Printwheel II	Part Number Compact Printwheel	Part Number IBM Quiet Electronic Font ¹
12				1353916		
12				1353992		
12	1167139	1352922	1257654	1353764		
10	1167140	1352914		1353846		
15					1361506	
PS		1352901 1352946 (Legal)	1257505	1353517 1353188 (Legal)		1340856
PS		1352950		1353016		1340856
12	1167250	1352953		1353875		1340850
10	1167141	1352906				1340845
10	1167245	1352029		1353015 ³	1361505 ⁴	1340846
10	1167142	1352907		1353829		
12	1167143 1167179 (Legal)	1352003 1352937 (Legal)	1257504	1353502 1353187 (Legal)	1361501*	1340800
12				1353101 PC		1340800 1340803 PC
12				1353654		1340800
12				1353994		
15				1353655		1340804 1340806 PC 1340804 (Acctg)
10	1167123 1167172 (Acctg) 1167181 (Legal)	1352905 1352025 (Acctg) 1352018 (Legal)	1257507 1257697 (Acctg)	1353503 1353014 (Acctg) 1353184 (Legal)		1340832 1340834 PC 1340832 (Acctg)

that are followed by a "PC" are for use
on the IBM Quietwriter Printers.

³ Rhetoric Presenter
⁴ Presenter 10

Type Style	Example	Application
Printing and Publishing 1 ANSI-OCR	ABCDEFGHIJKLMNOPQRSTUVWXYZ£¥¦§¨ª«¬®¯°±²³´µ¶·¸¹º»¼½¾¿ÀÁÂÃÄÅÆÇÈÉÊËÌÍÎÏÐÑÒÓÔÕÖ×ØÙÚÛÜÝÞßàáâãäåæçèéêëìíîïðñòóôõö÷øùúûüýþÿ	Computer-readable documents
Printing and Publishing 8 ANSI-OCR	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%^&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Computer-readable documents
OCR-A	ABCDEFGHIJKLMNOPQRSTUVWXYZ\!@#%&'()*+,-./: abcdefghijklmnopqrstuvwxyz{1234567890}~	Computer-readable documents
OCR-B	ABCDEFGHIJKLMNOPQRSTUVWXYZ<!=@#\$%^&*()_+ abcdefghijklmnopqrstuvwxyz>1234567890-=	Computer-readable documents
Rhetoric	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%^&*()_+-=1/4][ABCDEFGHIJKLMNOPQRSTUVWXYZ;:'".?/,1234567890	Speeches and presentations
Scribe	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%^&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Reports
Script	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%^&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Simulates handwriting – emphasis
Symbol 1	§{̂@<αβ≅φεπλη†κ}μνο √ Ωω⊗∇∫∩∪∖−∞ℓ∼∫σˆ^	Scientific documents, mathematical documents, text—Compatible with 6240
Symbol 2	∇≥ΨΦΧΠΛη↑>§{̂@<θ∇ΘΣζΞΔ≡Τψ √◦Ωω⊗[]() _ − ′ □ ↓ ρ σ ⋯ ^ ÷ • ˘ ~ ∼ f αβ≅φεπλη†ϑκ}μνoργλστξ×δ←→ 1234567890	Scientific documents, mathe- matical documents, text— Compatible with OS 6 Printers
Symbol 3	∇≥ΨΦΧΠΛθ↑>α{̂@<θ∇ΘΣζΞΔ≡Τψ √ Ωω⊗\b∥™∞−T□↓↑J┐└›÷•‹R∼f αβ≅φεπλη†ϑκ}μνoργλστξ×δ←→ 1234567890	Scientific documents, mathematical documents, text—Compatible with 6670
Symbol II	♀(■•≤▲•√♠ < ♀ [" ●★⊙●/✕‡✓~ ℱ♦j…¶²™ _ ▼ ♂) □◻⊗◉◌, >~] "◉◉◉R✕†.. \~ μ◊ι\$-ℒX+ = ∇	Technical material
Symbol 10	∇∞ΨΦ←<Λη↑>§Ω∂ν+ℓΓΘΣ→ΞΔ≡Τ≅⊕ { } √∇∫∩∪ αβψφε(λ η ι , κ ω μ ν ο ρ γ θ σ τ ξ × δ χ υ ζ ⊗ ¹ º ³ ´ µ ¶ · ¸ ⁹ ⁰ ⁻	Technical material
Symbol 12	∇∞ΨΦ←<Λη↑>§Ω∂ν+ℓΓΘΣ→ΞΔ≡Τ≅⊕ { } √∇∫∩∪ ◊ σ π Π ⋯ ^ ÷ • ˘ ~ ₁ αβψφε(λ η ι , κ ω μ ν ο ρ γ θ σ τ ξ × δ χ υ ζ ⊗ ¹ º ³ ´ µ ¶ · ¸ ⁹ ⁰ ⁻ = ℒ	Technical material
Symbol 15	∇≥ΨΦΧΠΛη↑>§{̂@<θΓΘΣζΞΔ≡Τψ √ Ωω⊗∇∫∩∪ ∞ αβ≅φεπλη†κ}μνoρΥλστξ×δ←→±1234567890 ℒ	Technical material
Thesis	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%^&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Proportional spacing
Title	ABCDEFGHIJKLMNOPQRSTUVWXYZ!@#\$%^&*()_+ abcdefghijklmnopqrstuvwxyz±1234567890-=	Proportional spacing

Pitch	Part Number 88-Character Element	Part Number 96-Character Element	Part Number Non-Cartridge Printwheel	Part Number Cartridge Printwheel II	Part Number Compact Printwheel	Part Number IBM Quiet Electronic Font ¹
10	1167170	1352919		1353792 1353246 (with ■ symbol)		
10	1167173	1352921		1353054		
10			1257696	1353792 1353246 (with ■ symbol)		
10		1352920		1353797 1353247 (with ■ symbol)		
10			1257722	1353736		
12	1167144	1352009		1353982		
12	1167145	1352923		1353778	1361503*	1340852
12			1257617			
12			1257616			
12				1353735		
12	1167243	1352031				
10	1167061	1352014		1353874	1361500*	1340842
12	1167004	1352934		1353637		1340843
15				1353828		
PS		1352926		1353953		
PS		1352902		1353952		1340835 1340837 PC 1340835 (Acctg)

¹ Quiet Electronic Fonts (prefix 1340) support multiple languages and applications. See pages 151-152 for additional information. Font part numbers that are followed by a "PC" are for use on the IBM Quietwriter Printers.

* Type Styles in the same family are similar. Only the symbols are different.

IBM International Quiet Electronic Fonts and Cartridge Printwheel IIs

To order from IBM's large selection of International Quiet Electronic Fonts and Cartridge Printwheel IIs, note the type style

and part number below. Type style samples may be found on pages 156-163.
One Quiet Electronic Font (part

number 1340XXX) can support several languages. Refer to the IBM International Language Fonts Applications and Keyboard Num-

bers Chart, page 152, for more information.

Country	Font or Printwheel	Advocate	Boldface	Courier 12	Courier 10	Delegate	Letter Gothic	Light Italic	Manifold	Modern
Argentina	F		1340827	1340813	1340807	1340854	1340822			1340856
	P									
Brazil	P				1353219		1353252			
Canada										
(Bilingual)	F		1340827	1340813	1340807	1340854	1340822			1340856
(English)	P	1353864	1353538	1353554	1353546	1353848	1353542	1353768	1353896	1353550
(French)	P	1353863	1353539	1353555	1353547	1353847	1353543	1353769		1353551
Denmark	F		1340827	1340813	1340807	1340854	1340822			1340856
	P	1353988	1353196	1353712	1353021	1353359	1353211	1353238		1353210
Finland	F		1340827	1340813	1340807	1340854	1340822			1340856
	P	1353871	1353594	1353610	1353570	1353855	1353626	1353772		1353602
France	F		1340827	1340813	1340807	1340854	1340822			1340856
	P	1353865	1353590	1353606	1353566	1353858	1353622	1353777		1353598
Germany	F		1340827	1340813	1340807	1340854	1340822			1340856
	P	1353866	1353589	1353605	1353565	1353852	1353621	1353766	1353897	1353597
Hungary	F		1340860	1340814	1340859		1340823			
	P		1353174	1353173	1353364			1353141		1353135
Iceland	F		1340827	1340813	1340807	1340854	1340822			1340856
	P	1353867		1353973	1353954					
Italy	F		1340827	1340813	1340807	1340854	1340822			1340856
	P	1353868	1353592	1353608	1353568	1353854	1353624	1353770		1353600
Latin America	F		1340827	1340813	1340807	1340854	1340822			1340856
	P	1353862	1353537	1353553	1353545	1353851	1353541	1353765		1353549
Netherlands	F		1340827	1340813	1340807	1340854	1340822			1340856
	P		1353593	1353609	1353569	1353850	1353625	1353771		1353601
Norway	F		1340827	1340813	1340807	1340854	1340822			1340856
	P	1353870	1353510	1353525	1353513	1353856	1353516	1353774		1353519
Portugal	F		1340827	1340813	1340807	1340854	1340822			1340856
	P		1353708	1353700	1353669		1353978			
Rumania	F		1340860	1340814	1340859		1340823			
	P		1353177	1353176	1353073			1353143		
South Africa	F		1340828	1340863	1340808		1340823			
	P		1353596	1353612	1353572	1353857	1353628	1353776		1353604
Spain	F		1340827	1340813	1340807	1340854	1340822			1340856
	P		1353195	1353974	1353957		1353979	1353215		1353209
Sweden	F		1340827	1340813	1340807	1340854	1340822			1340856
	P	1353871	1353594	1353610	1353570	1353855	1353626	1353772		1353602
Switzerland	F		1340827	1340813	1340807	1340854	1340822			1340856
	(French) P	1353872	1353509	1353524	1353512	1353849	1353515	1353773	1353899	1353518
	(German) P	1353872	1353509	1353524	1353512	1353849	1353515	1353773	1353899	1353518
Turkey	F		1340828	1340863	1340808		1340823			
	P				1353956		1353966			
U.K.	F		1340827	1340813	1340807	1340854	1340822			1340856
	P	1353873	1353591	1353607	1353567	1353853	1353623	1353767	1353898	1353599

Legend

F = Quiet Electronic Font
P = Cartridge Printwheel II


Orator ¹	Pica	Prestige Elite	Prestige Pica	Presentor	Scribe	Script	Title	Courier 15	Gothic 15	Prestige 15
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
		1353220		1353250		1353251		1353344		
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
	1353833	1353530	1353534			1353782	1353037	1353801	1353723	1353864
1353741	1353834	1353531	1353535			1353783	1353042	1353802	1353724	1353685
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
1353206	1353239	1353020	1353031			1353237	1353189	1353222	1353199	1353192
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
1353744	1353837	1353578	1353586			1353786	1353204	1353805	1353727	1353688
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
1353749	1353842	1353574	1353581			1353791	1353040	1353810	1353733	1353694
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
1353738	1353831	1353573	1353581	1353019		1353780	1353038	1353799	1353721	1353681
		1340801					1340862	1340817		1340805
		1353363	1353032				1353160		1353200	1353193
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
					1353985		1353461	1353155		
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
1353742	1353835	1353576	1353584			1353784	1353161	1353803	1353725	1353686
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
1353737	1353830	1353529	1353533			1353779	1353159	1353798	1353720	1353680
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
1353743	1353836	1353577	1353585			1353785	1353163	1353804	1353726	1353687
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
1353746	1353839	1353508	1353506			1353788	1353164	1353807	1353729	1353690
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
1353077		1353661	1353716			1353153			1353825	1353812
		1340801					1340862	1340817		1340805
		1353027	1353034						1353201	1353194
		1340801	1340833				1340836	1340817		1340805
1353748	1353841	1353580	1353588			1353790	1353166	1353809	1353732	1353693
1340845		1340800	1340832	1340846		1350852	1340835	1340816	1340855	1340804
1353205	1353989	1353028	1353036			1353216	1353963	1353213	1353197	1353190
1340845		1340800	1340832	1340846		1350852	1340835	1340816	1340855	1340804
1353744	1353837	1353578	1353586			1353786	1353204	1353805	1353727	1353688
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
1353745	1353838	1353507	1353505	1353745	1353986	1353787	1353039	1353806	1353728	1353689
1353745	1353838	1353507	1353505	1353745	1353986	1353787	1353039	1353806	1353728	1353689
		1340801	1340833				1340836	1340817		1340805
		1353959					1353962			
1340845		1340800	1340832	1340846		1340852	1340835	1340816	1340855	1340804
1353739	1353832	1353575	1353583		1353987	1353781	1353041	1353800	1353722	1353683

¹ Rhetoric for printwheels

IBM Composer Fonts

IBM Composer Fonts are available in the following type styles and point sizes:

Type Style					Part Number
Aldine Roman					
10 pt. Medium:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194020
10 pt. Italic:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194021
10 pt. Bold:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194054
Also available in:	8 pt. Medium 1194020	12 pt. Medium 1194018			
	8 pt. Italic 1194023	12 pt. Italic 1194019			
	8 pt. Bold 1194055	12 pt. Bold 1194053			
Baskerville					
9 pt. Medium:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194095
9 pt. Italic:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194096
9 pt. Bold:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194097
Also available in:	8 pt. Medium 1194098	11 pt. Medium 1194092			
	8 pt. Italic 1194099	11 pt. Italic 1194093			
	8 pt. Bold 1194100	11 pt. Bold 1194094			
Bodoni					
10 pt. Medium:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194026
10 pt. Italic:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194027
10 pt. Bold:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194057
Also available in:	8 pt. Medium 1194028	12 pt. Medium 1194024			
	8 pt. Italic 1194029	12 pt. Italic 1194025			
	8 pt. Bold 1194058	12 pt. Bold 1194061			
Century					
10 pt. Medium:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194065
10 pt. Italic:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194069
10 pt. Bold:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194073
Also available in:	6 pt. Medium 1194068	8 pt. Medium 1194067	9 pt. Medium 1194066	11 pt. Medium 1194115	
	6 pt. Italic 1194072	8 pt. Italic 1194071	9 pt. Italic 1194070	11 pt. Italic 1194118	
	6 pt. Bold 1194076	8 pt. Bold 1194075	9 pt. Bold 1194074	11 pt. Bold 1194124	
Century Presswire					
9 pt. Medium:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-@⁵ 1?.,;!%&\$ ½/ ¼*()- ⅞ ³ +″:				1194212
9 pt. Bold:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-@⁵ 1?.,;!%&\$ ½/ ¼*()- ⅞ ³ +″:				1194215
Also available in:	6 pt. Medium 1194214	8 pt. Medium 1194213			
		8 pt. Bold 1194216			
Classified News					
10 pt. Medium:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194059
10 pt. Bold:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194062
Also available in:	6 pt. Medium 1194056	8 pt. Medium 1194060			
	6 pt. Bold 1194064	8 pt. Bold 1194063			
Classified News Presswire					
6 pt. Medium:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-@⁵ 1?.,;!%&\$ ½/ ¼*()- ⅞ ³ +″:				1194211
Copperplate Double Case					
10 pt.:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[?[,;.!†+\$%/&*()-@¼¾½″:				1194112
Also available in:	6 pt. 1194114	8 pt. 1194113	12 pt. 1194111		
Copperplate/Fraction					
10 pt.:	1 1/2 3/4 5/8 7/8 9/16 11/16 13/16 15/16 17/32 19/32 21/32 23/32 25/32 27/32 29/32 31/32 33/32 35/32 37/32 39/32 41/32 43/32 45/32 47/32 49/32 51/32 53/32 55/32 57/32 59/32 61/32 63/32 65/32 67/32 69/32 71/32 73/32 75/32 77/32 79/32 81/32 83/32 85/32 87/32 89/32 91/32 93/32 95/32 97/32 99/32 100/32 1234567890-=[?[,; 1194133				
Also available in:	12 pt. 1194129				
Copperplate Gothic					
10 pt. Medium:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-\$£?¢'.! — %/&= () _ @ 5 ¶ # , . : 1194415				
Also available in:	6 pt. Medium 1194417	8 pt. Medium 1194416	12 pt. Medium 1194414		

Type Style	Part Number
Journal Roman	
10 pt. Medium:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%/&*()-@¼¾½'': 1194084
10 pt. Italic:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()-@¼¾½'': 1194085
10 pt. Bold:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()-@¼¾½'': 1194086
10 pt. Bold Italic:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()-@¼¾½'': 1194091
Also available in:	8 pt. Medium 1194087 11 pt. Medium 1194081 8 pt. Italic 1194088 11 pt. Italic 1194082 8 pt. Bold 1194089 11 pt. Bold 1194083 8 pt. Bold Ital. 1194135 11 pt. Bold Ital. 1194090
Press Roman	
10 pt. Medium:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()@¼¾½'': 1194003
10 pt. Italic:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()@¼¾½'': 1194004
10 pt. Bold:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()@¼¾½'': 1194005
10 pt. Bold Italic:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()@¼¾½'': 1194121
Also available in:	7 pt. Medium 1194009 8 pt. Medium 1194006 9 pt. Medium 1194077 11 pt. Medium 1194000 7 pt. Italic 1194010 8 pt. Italic 1194007 9 pt. Italic 1194078 11 pt. Italic 1194001 7 pt. Bold 1194153 8 pt. Bold 1194008 9 pt. Bold 1194079 11 pt. Bold 1194002 7 pt. Bold Ital. 1194150 8 pt. Bold Ital. 1194132 9 pt. Bold Ital. 1194127 11 pt. Bold Ital. 1194116
Press Roman Symbol Greek	
10 pt.:	ε γ β λ ξ ν κ ι π ω χ θ ρ α [] η ο ψ ο δ ζ ο θ ϰ ◼ ◼ ◼ ◼ ◼ ◼ ◼ ◼ μ φ τ υ · Ε Γ Β Λ Ξ Θ Ν Κ Ι ς Π # Ω Χ Θ Ρ Α ς φ ‡ Η Ο Ψ Σ Δ Ζ Δ † £ @ · ¶ () ... Μ Φ Τ Υ ' ... 1194012
Also available in:	7 pt. 1194013 11 pt. 1194011
Press Roman Symbol Mathematical	
10 pt.:	≅ Δ ≈ ≡ ≠ > · > α O X = δ ≤ ≠ L V < ⇒ □ ◊ ◊ ◊ [- ∞ : €] ≡ () ~ + R ∞ : > ± f ℓ ° / φ :: ≠ √ τ . : g : f ! ≠ 1 Σ L π ∞ 1 2 3 4 5 6 7 8 9 0 √ ∙ π ∙ 1194017
Also available in:	7 pt. 1194109 11 pt. 1194015
Press Roman Symbol Technical	
10 pt.:	ⅉ γ † ℓ / β λ (f) ~ p + α ^ * \ U = 1 2 3 4 5 6 7 8 9 0 b π ° ' ' ' : : + € _ L _ E ⇒ ⇌ ≡ ≠ √ Å ≠ # N & † ↗ R & J (+ ← [? δ φ &] ▷ δ () ↔ ≡ C © @ 1194016
Also available in:	7 pt. 1194110 11 pt. 1194014
Press Roman Technical	
10 pt.:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890° θ ± () , . . . 1234567890 - π ∞ ◇ = + X 1194106
Also available in:	11 pt. 1194105
Pyramid	
10 pt. Medium:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()-@¼¾½'': 1194032
10 pt. Italic:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()-@¼¾½'': 1194033
Also available in:	8 pt. Medium 1194034 12 pt. Medium 1194030 8 pt. Italic 1194035 12 pt. Italic 1194031
Ruling Font	
12 pt.:	 1194413
Theme	
10 pt. Medium:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()-@¼¾½'': 1194126
10 pt. Italic:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()-@¼¾½'': 1194130
10 pt. Bold:	ABCDEF GHIJ KLMnopqrstuvwxy z1234567890-=] ?[.,; !†+\$%&*()-@¼¾½'': 1194134
Also available in:	8 pt. Medium 1194123 11 pt. Medium 1194117 8 pt. Italic 1194128 11 pt. Italic 1194119 8 pt. Bold 1194131 11 pt. Bold 1194122

(continues on next page)

Type Style		Part Number
Univers		
10 pt. Light:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[,.;!†+\$%/&*()-@¼½¾”:	1194044
10 pt. Medium:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[,.;!†+\$%/&*()-@¼½¾”:	1194045
10 pt. Medium Italic:	<i>ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[,.;!†+\$%/&*()-@¼½¾”:</i>	1194047
10 pt. Medium Italic Condensed:	<i>ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[,.;!†+\$%/&*()-@¼½¾”:</i>	1194125
10 pt. Medium Condensed:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[,.;!†+\$%/&*()-@¼½¾”:	1194080
10 pt. Bold:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[,.;!†+\$%/&*()-@¼½¾”:	1194046
10 pt. Bold Condensed:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[,.;!†+\$%/&*()-@¼½¾”:	1194120
Also available in:	7 pt. Medium 1194052 8 pt. Bold 1194050 11 pt. Med. Ital. Cond. 1194043 8 pt. Light 1194048 11 pt. Light 1194036 11 pt. Med. Cond. 1194041 8 pt. Medium 1194049 11 pt. Lt. Cond. 1194040 11 pt. Bold 1194038 8 pt. Med. Ital. 1194051 11 pt. Medium 1194037 11 pt. Bold Cond. 1194042 11 pt. Med. Ital. 1194039	
Univers Bold/Light		
10 pt.:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890-=[,.; 1234567890 -@¼½¾”:	1194139
Also available in:	11 pt. 1194138	
Univers Technical		
10 pt.:	ABCDEFGHIJKLMNOPQRSTUVWXYZ1234567890°θ±(),.,:¹²³⁴⁵⁶⁷⁸⁹⁰-∞<>=+X	1194108
Also available in:	11 pt. 1194107	